

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

APPLICATION NUMBER

FILING DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NO.

09/838483

EXAMINER ART UNIT PAPER NUMBER

DATE MAILED:

COMMISSIONER OF PATENTS AND TRADEMARKS	
NOTICE OF ALLOWABILITY	
All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communicat NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. This communication is responsive to	ion will be mailed in due serves. Title
The allowed claim(s) is/are	<u> </u>
The drawings filed on 19 Apr. 1001 * 1Feb 2005 are acceptable as formal drawings.	
Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).	
☐ All ☐ Some* ☐ None of the:	·
Certified copies of the priority documents have been received.	
Certified copies of the priority documents have been received in Application No.	· · · · · · · · · · · · · · · · · · ·
 Copies of the certified copies of the priority documents have been received in this national International Bureau (PCT Rule 17.2(a)). 	onal stage application from the
*Certified copies not received:	
Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).	•
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a rebelow. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-FOR SUBMITTING NEW FORMAL DRAWINGS, OR A SUBSTITUTE OATH OR DECLARATION with the REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL is extendable under	MONTH PERIOD IS NOT EXTENDABLE
Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION, the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED	PTO-152, which discloses that D.
Applicant MUST submit NEW FORMAL DRAWINGS	
\square because the originally filed drawings were declared by applicant to be informal.	
including changes required by the Notice of Draftperson's Patent Drawing Review, PTO-94.	8, attached hereto or to Paper No.
including changes required by the proposed drawing correction filed on	, which has been approved
including changes required by the attached Examiner's Amendment/Comment or in the Off	fice action of Paper No.
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written	
Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF I	PIOLOGICAL MATERIAL
Any reply to this notice should include, in the upper right hand corner, the APPLICATION NUMB applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER a ALLOWANCE should also be included.	ED (CEDISO CODE (CEDIS)
Attachment(s)	* 2
☐ Notice of References Cited, PTO-892	
Information Disclosure Statement(s), PTO-1449, Paper No(s).	
☐ Notice of Draftsperson's Patent Drawing Review, PTO-948	•
Notice of Informal Patent Application, PTO-152	
Interview Summary, PTO-413	
Examiner's Amendment/Comment	· :
Examiner's Comment Regarding Requirement for the Deposit of Biological Material	
Examiner's Statement of Reasons for Allowance	•

PTOL-37 (Rev. 11/00)

SN 838483

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with James Finn on 16 July 2005.

The application has been amended as follows:

In the Claims:

Claim 8 has been canceled.

In claim 14, "BSTO-MgO, BSTO-MgAl2O4, BSTO-CaTiO3, BSTO-MgTiO3, BSTO-MgSrZrTiO6," has been rewritten as -- BSTO-MgO, BSTO-MgAl₂O₄, BSTO-CaTiO₃, BSTO-MgTiO₃, BSTO-MgSrZrTiO₆.--.

In claim 15, "Mg2SiO4, CaSiO3, BaSiO3, SrSiO3, Na2SiO3, NaSiO3-5H2O, LiAlSiO4, LiSiO3, Li4SiO4, Al2Si2O7, ZrSiO4, KAlSi3O8, NaAlSi3O8, CaAl2Si2O8, CaMgSi2O6, BaTiS13O9 and Zn2SiO4;" has been rewritten as -- Mg2SiO4, CaSiO3, BaSiO3, SrSiO3, Na2SiO3, NaSiO3-5H2O, LiAlSiO4, LiSiO3, Li4SiO4, Al2Si2O7, ZrSiO4, KAlSi3O8, NaAlSi3O8, CaAl2Si2O8, CaMgSi2O6, BaTiSi3O9 and Zn2SiO4;--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Benny Lee whose telephone number is 571 272 1764.

B. Lee

BENNY T. LEE
PRIMARY EXAMINER
ART UNIT 2817